
Humberside Scouts - Raywell Park

Risk Assessment





| Hazard / Harmful Effect | To Whom | Control Measures to reduce Risks | Proposed Actions to further reduce risk |
|---|-------------|---|---|
| Slips / Trips / Falls | All | Check area clear of debris prior to use | Instructor to inspect all equipment prior to and after session |
| Housekeeping | All | All equipment to be checked before use | No-one to be on gravel area without permission of instructor |
| Weather conditions affecting wall safety | Users | Only competent and assessed persons to instruct on wall | Regular inspection of all hand holds |
| Working at height | Instructors | Correct set up of belays and abseils | Bi-Monthly check of all equipment used in association with Wall |
| Climbing equipment being knocked off wall | All | Helmets to be worn by all wall users / instructors at all times | - In accordance Scout Association fact sheet FS120411 |
| Damaged equipment / equipment failure | Users | Leaders / adults to keep control of party at all times | |
| Falling from height | All | Instructor to give safety talk prior to commencement | |
| Users landing on people at bottom of wall | All | First aid kit supplied | |
| Injuries caused by wrongly fitted harness | Users | Wall only to be used in good weather conditions | |
| People stood below climbers / abseilers | All | Users / Instructors to be attached to safety bars | |
| | | - when on any of the three wall tops | |
| | | All spare equipment on wall tops to be secured to safety bars | |
| | | Wall / Ropes etc to be secured when not in use | |
| | | Wall to be used in accordance with 'System of Operation' | |
| | | 6 monthly Inspection of all eye-bolts (See Test Cert) | |
| | | Activity to be run in accordance with current P.O.R. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |