Humberside Scouts - Raywell Park

Risk Assessment

Location:	Site General - Activities	Activity / Task:	Use of Open Fires - Cooking		
Date of Assessment:	24-Nov-04	Last Review:	Mar-21	**Reference:**	RA/Act/07/1

Hazard / Harmful Effect	To Whom	Control Measures to reduce Risks	Proposed Actions to further reduce risk
Slips / Trips / Falls	All	Check area clear of debris prior to use	Site rules to state that fires only to be built in barrels
Housekeeping	All	Fire to be built and contained within barrels available	- unless prior arrangement has been made with Site staff
Fire falling or being knocked over	All	Leaders / adults to keep control of party at all times	
Falling into fire	All	- ensure sensible behaviour around fire	
Setting fire to equipment nearby	All	Sufficient adult supervision	
Hitting others with wood	All	Only build fire on day required	
Nails in old timber	All	Grill type shelf to be used for cooking / standing pans etc on	
Burns	All	Fire to be reduced to embers if unattended	
Scalds	All	Fire / Cooking area to be roped off	
Pans etc falling from fire	All	First Aid facilities available on site	
Fire becoming out of control	All	Surrounding area to be clear of combustible material	
Dangerous items being thrown into fire	All	- as far as is practicably possible	
- such as aerosols, glass, fuel etc		Activity to be run in accordance with current P.O.R.	